

Flange Spreader Tools



[Watch the Video](#)

Valve-Out Valve Removal Tool & Flange Spreader



Eliminate the need for come-alongs, track-hoes, wire rope, chains, hammers, and wedges

Can be used for safe and easy removal of: control valves, bypass valves, expansion joints, spools, rupture disks, regulators, orifice plates, and meters



Spec Sheet

SMP-VOC 1 Kit

Includes 3/4", 7/8", 1" bolt hole pins that can fit flange sizes ranging from:

Pipe Diameter	Pressure
2" to 12"	150 series flanges
1" to 8"	300 series flanges
1" to 6"	400 series flanges
1" to 4"	600 series flanges
1" to 3"	900 series flanges
1" to 2"	1500 series flanges

Includes Pelican Hard Shelled Case; FOB: Houston, TX



SMP-VOC 2 Kit

Includes 1-1/8", 1-1/4", 1-3/8" bolt hole pins that can fit flange sizes ranging from:

Pipe Diameter	Pressure
14" to 26"	150 series flanges
10" to 20"	300 series flanges
8" to 14"	400 series flanges
5" to 12"	600 series flanges
1-1/2" to 6"	900 series flanges
1-1/2" to 4"	1500 series flanges

Includes Pelican Hard Shelled Case; FOB: Houston, TX



SMP-VOC 1 and SMP-VOC 2 Kits include:

Flange spreading plates and interchangeable bolt hole pins to service the sizes listed, plus spacer bar segments 1-3/4" caps (2), 1-3/4" cups (2), 2" spacers (4), 4" spacers (2). Spacer parts total 11.5" per side of flange.

Tools come in (2) Hard Shell Cases with form-fitting foam.

Valve-Out Valve Removal Tool & Flange Spreader

Spec Sheet

SMP-VOC 1-2 Kit

Includes 3/4", 7/8", 1", 1-1/8", 1-1/4", and 1-3/8" bolt hole pins that can handle flange sizes ranging from:

Pipe Diameter	Pressure
2" to 26"	150 series flanges
1" to 20"	300 series flanges
1" to 14"	400 series flanges
1" to 12"	600 series flanges
1" to 6"	900 series flanges
1" to 4"	1500 series flanges

Includes Pelican Hard Shelled Case; FOB: Houston, TX



SMP VOC 1-2 Kit includes:

Flange spreading plates and interchangeable bolt hole pins to service the sizes listed, plus spacer bar segments 1-3/4" caps (2), 1-3/4" cups (2), 2" spacers (4), 4" spacers (2). Spacer parts total 11.5" per side of flange.

Tools come in (3) Hard Shell Cases with form-fitting foam.

Extra Spacer Bars Available for Valves Wider Than 14"

VOC SPCR2 – 2" Valve-Out Spacer

VOC SPCR4 – 4" Valve-Out Spacer

VOC SPCR6 – 6" Valve-Out Spacer